Revised 02/03

DUE DATE

ACTION

DECK, C. A DEGENHART, K. R. DIETER, T. J. DIETERLE, S. I

FERRERA, D. W FERRI, M S.

GERMAIN, A

ONG J. W MARTINEZ. L. A NAGEL, R. E.

PARKER, A. M OWERS, K. P.

RODGERS, A. D HELTON, D. C

TRICE, K, D TUOR, N, R, WILLIAMS, J. I

BUTLER L

BROOKS, L

GIACOMINI, J. J. ISOM, J. H. LINDSAY, D. C

CORRES CONTROL INCOMING LTR NO

2001 JUN -4 A 9 52 STATE OF CC

00511 RF03

Bill Owens, Governor

CORRESPURDENCE

Douglas H Benevento, Executive Director TPOL

Dedicated to protecting and improving the health and environment of the people of Colorado

4300 Cherry Creek Dr S Denver, Colorado 80246-1530

Phone (303) 692-2000 TDD Line (303) 691-7700 Located in Glendale, Colorado

Laboratory and Radiation Services Division 8100 Lowry Blvd Denver, Colorado 80230-6928

(303) 692-3090

Colorado Department of Public Health and Environment

http://www.cdphe.state.co.us DIST ERARDINI, J. H BOGNAR, E. S CROCKETT, G.

May 30, 2003

Richard J DiSalvo

Acting Assistant Manager for Environment and Stewardship

US Department of Energy Rocky Flats Field Office 10808 Highway 93, Unit A Golden, Colorado 80403-8200

Final Approval, Characterization Data Summary, IHSS Group 700-3, May 2003

Dear Mr DıSalvo

The Colorado Department of Public Health and Environment, Hazardous Materials and Waste Management Division (the Division) has confirmed that previously agreed upon revisions have been incorporated into the final document dated May 2003 Thus, our approval of May 19, 2003 is reaffirmed

If you have any questions regarding this correspondence, please contact me at (303) 692-3367 or Harlen Amscough at 303-692-3337

Sincerely,

Steven H Gunderson

RFCA Project Coordinator

COR CONTROL ADMN. RECORD PATS/130

Attachment

Reviewed for Addressee Corres Control RFP

Russell McCallister, DOE Tım Rehder, EPA

Lane Butler, KH Dave Shelton, KH

Mark Sattelberg, USF&W

Administrative Records Building T130G 1 Ref Ltr #

DOE ORDER #

DOCUMENT CLASSIFICATION REVIEW WAIVER PER CLASSIFIC. TON OFFICE



ADMIN RECORD

IA-A-001433